

L655



4-in-1 printer with integrated ink tank for fast, reliable and double-sided A4 printing that ensures an ultra-low cost per page

Offices after an ultra-low cost per A4 page will love the L655's high-capacity ink tank, which saves money and does away with messy ink cartridges. Able to print from phones and tablets, the L655 allows duplex printing, great quality scanning and high-capacity copying for ultimate versatility in offices.

Say goodbye to cartridges

An integrated ink tank system delivers cost-effective A4 prints. Refilling using individual ink bottles is quick and easy thanks to fast ink top-up technology, clearly labelled bottles and drip-free nozzles.

Reduce costs by up to 90%¹

Look forward to an ultra low-cost per page. Saving up to 90%¹ on printing costs, the L655 can print up to 11,000 pages² from the initial two sets of bottles.

Save resources & time

The L655 introduces duplex printing, enabling offices to halve their use of paper, saving money and resources. The L655 prints fast, producing A4 pages at an ISO print speed of up to 13.7ppm³.

Boost productivity

Work smarter with the L655's 30-page automatic document feeder (ADF) for fast and easy print, copy and scan features. 1,200 dpi scanning ensures great quality scans while multi-copy allows you to make up to 99 copies of a page to save time. Wi-Fi connectivity with Epson Connect⁴ makes printing from smartphones and tablets easy.

Quality results every time

Expect quick-drying, smudge-free and consistent quality results from Epson's Micro Piezo technology and Epson genuine dye ink for colour, and pigment ink for black. For added peace of mind, the L655 comes with a one year or 50,000 page manufacturer's warranty.

DATASHEET



KEY FEATURES

- **Ultra-low-cost duplex print, copy & scan**
Save up to 90%¹ on the cost of everyday, hassle-free double-sided printing
- **Extra inks included**
Two full sets of ink bottles in the box
- **Peace of mind**
Covered by Epson's 12 month or 50,000 page warranty
- **High-quality, reliable results**
Micro Piezo technology and Epson genuine ink
- **Flexible**
Wi-Fi and Ethernet connectivity and easy mobile printing

PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method	On-demand inkjet (Piezo electric)
Minimum Droplet Size	3.3 pl, With Variable-Sized Droplet Technology
Ink Technology	Pigment black and Dye colour Inks
Printing Resolution	4,800 x 1,200 dpi
Nozzle Configuration	400 Nozzles black, 128 Nozzles per colour
Application	Home, Office Desktop
All-in-One Functions	Print, Scan, Copy, Fax

PRINT

Printing Speed ISO/IEC 24734	13.7 pages/min Monochrome, 7.3 pages/min Colour
Maximum Printing Speed	33 pages/min Monochrome (plain paper), 20 pages/min Colour (plain paper), 69 Seconds per 10 x 15 cm photo (Epson Premium Glossy Photo Paper)
Colours	Black, Cyan, Yellow, Magenta
Duplex Printing Speed ISO/IEC 24734	6.5 A4 pages/min Monochrome, 4.5 A4 pages/min Colour

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

SCAN

Scanning Resolution	1,200 dpi x 2,400 dpi (Horizontal x Vertical)
Scanner type	Contact image sensor (CIS)
Single-sided scan speed (A4 black)	300 dpi 1.5 msec/line; 600 dpi 2 msec/line; 1,200 dpi 7.8 msec/line
Single-sided scan speed (A4 colour)	300 dpi 7 msec/line; 600 dpi 12.7 msec/line; 1,200 dpi 23.4 msec/line
Output formats	BMP, JPEG, TIFF, PDF

FAX

Fax speed dials (max)	60 names and numbers
Page memory	Up to 100 pages (ITU-T No.1 chart)
Fax Functions	PC Fax, Auto Redial, Address Book, Delay Send, Broadcast Fax
Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page
Error correction mode	CCIT/ITU Group3 fax with Error Correction Mode

PAPER / MEDIA HANDLING

Number of paper trays	1
Paper Formats	A4, A5, A6, B5, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, 9 x 13 cm, 10 x 15 cm, 16:9, Legal
Duplex	Yes
Automatic Document Feeder	30 pages
Paper Tray Capacity	150 Sheets Standard, 150 Sheets maximum, 20 Photo Sheets
Media Handling	Auto Sheet Feeder, Automatic duplex

GENERAL

Energy Use	4.4 W (Ready), 0.3 W (Power off), ENERGY STAR® qualified, 11 W (standalone copying, ISO/IEC 24712 pattern), 1.5 W (sleep mode)
Product dimensions	515 x 360 x 241 mm (Width x Depth x Height)
Product weight	7.4 kg
Noise Level	5.9 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 46 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode
Compatible Operating Systems	Mac OS X 10.6.8 or later, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP, Windows XP x64
Included Software	Epson Easy Photo Print, Epson Event Manager, Epson Scan, EpsonNet Print, EpsonNet setup
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Google Cloud Print

OTHER FEATURES

LCD screen	Type: Monochrome, Diagonal: 5.6 cm
------------	------------------------------------

L655

WHAT'S IN THE BOX

- Main unit
- Power cable
- Setup guide
- Software (CD)
- Warranty document
- 2 full sets of ink (Bk - 140ml, CMY - 70 ml)

LOGISTICS INFORMATION

SKU	C11CE71402 C11CE71402DA
EAN code	8715946552637
Country of Origin	Indonesia

L655

INK CARTRIDGE COMPATIBILITY

- 774
- 664
- 664
- 664



INK BOTTLE YIELD DATA

	●	● ● ●
Included	11,000 pages*	11,000 pages*
Replacement	6,000 pages*	6,500 pages*

* Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 24712 with replacement sets of ink. Quoted yields are NOT based on ISO/IEC 24711. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature. During the initial printer setup, a certain amount of ink is used to fill the print head's nozzles, therefore the yield of the initial bundled set can be lower.



* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com
 Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04
 (Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece 210-8099499 Hungary 06800 147 83
 Ireland 01 436 7742
 Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00
 Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621
 Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min)
 Switzerland 022 592 7923
 Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

1. Comparison made against the top 10 competitive A4 mono laser printers and MFPs, top 10 competitive colour laser printers and MFPs, and top competitive 10 inkjet printer and MFPs according to the IDC EMEA Hardcopy Tracker (Data Q3 2015). Cost per page calculated using the average selling price from the IDC EMEA Consumables Tracker (Data H1 2015) and manufacturers' published yields as of December 2015. For more information visit www.epson.eu/itssavings.
2. Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 24712 with replacement sets of ink. Quoted yields are NOT based on ISO/IEC 24711. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature. During the initial printer setup, a certain amount of ink is used to fill the print head's nozzles, therefore the yield of the initial bundled set can be lower.
3. Determined in accordance with ISO/IEC 24734 showing the average of ESAT from the Office Category Test for default simplex. For more information visit www.epson.eu/testing
4. Requires a wireless connection to the internet. For more information, supported languages and devices please visit www.epsonconnect.eu

EPSON®