HP LaserJet Pro MFP 4102fdw Printer

Get blazing fast printing speeds, high-volume scanning, and easy management with LaserJet Pro.

This printer is built for maximum productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.







Maximum productivity.

- Support your dynamic workteam with this high-speed smart printer, ideal for up to 10 users.
- Step up your workflow with HP Pro-class maximum print speed to meet high-demand environments. $^{\rm 1}$
- Scan both sides with a single pass. Dual-sided scanning allows your users to get more done in less time.
- Get productivity in the palm of your hand. Print, scan and get time-saving Shortcuts with HP Smart app. $^{\rm 2}$

Seamless management.

- Centralise print management for your enterprise. HP Web Jetadmin makes it easy with its suite of features. $^{\rm 4}$
- Set up your printers quickly wherever work happens. Cloud connectivity makes it easy for your IT team.
- Access your printers from a single dashboard. Smart Admin guides you through setup and gives IT visibility. $^{\rm 3}$
- Avoid interruptions with Wi-Fi $^{\circ}$ that intelligently looks for the best connection to stay on-line. 5

HP Wolf Pro Security.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Set up your printer security from the dashboard. Smart Admin makes IT configuration and monitoring easy. $^{\rm 3}$
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Set configuration policies and validate settings universally with HP Security Manager.⁶

Hassle-free supplies management with Instant Ink.

- Enroll to save on Original HP Toner with Instant Ink. Get toner, delivery and recycling. 7,8,9
- Never run out of toner with Instant Ink for laser.¹⁰
- With Instant Ink, get toner automatically delivered to workers or offices all on one consolidated bill.⁹
- With Instant Ink, you get to select the right plans for each of your printers. Change or cancel at any time. $^{11}\,$

Product walkaround

Accessories, Supplies and Support

Supplies	W1490A HP 149A Black Original LaserJet Toner Cartridge (Average cartridge yields 2,900 standard pages. Declared yield value in accordance with ISP/IEC 19752.)
	W1490X HP 149X High Yield Black Original LaserJet Toner Cartridge (Average cartridge yields 9,500 standard pages. Declared yield value in accordance with ISP/IEC 19752.)
Accessories	D9P29A HP Laser Jet Pro 550-sheet Feeder Tray
Service and Support	U42TZE - HP 3 year Next Business Day Service for LaserJet Pro MFP 410x U42U8PE - HP 1 year Post Warranty Next Business Day Service for LaserJet Pro MFP 410x

Technical specifications

Model	HP LaserJet Pro MFP 4102fdw Printer
Product number	2Z624F
Functions	Print, copy, scan, fax
Control panel	2.7" Color Touchscreen
Print	
Print technology	Laser
Print speed ¹	Black (A4, normal): Up to 40 ppm ; Black (A4, duplex): Up to 34 ipm
First page out ²	Black (A4, ready): As fast as 6.3 sec ; Black (A4, sleep): As fast as 8.8 sec
Print resolution	Black (best): Fine Lines (1200 x 1200 dpi); Technology: HP FastRes 1200, HP ProRes1200, Economode
Monthly duty cycle Printer smart software features ³	Up to 80,000 pages A4; Recommended monthly page volume: 750 to 4,000 Auto duplex and booklet printing, N-up printing, collation, watermarks, install printer driver only, Economode for toner savings, accepts a variety of paper sizes and
Standard print languages	types HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, Native Office, PWG Raster
Fonts and typefaces	84 scalable TrueType fonts
Print area	Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area : 207.4 x 347.1mm
Duplex printing	Automatic (default)
Copy Copy speed	Black (A4): Up to 38 cpm
	ID Copy; Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality
Copier specifications Scan	(Draft/Normal/Best); Save Current Settings; Restore Factory Defaults; Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%
Scan speed ⁴	Normal (A4): Up to 29 ppm/46 ipm (b&w), up to 20 ppm/34 ipm (color) :Duplex (A4): Up to 46 ipm (b&w), up to 34 ipm (color)
Scan file format	PDF, JPG, TIFF
Scanner specifications	Scanner type Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA; Twain version: Version 2.3; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Up to 1200 x 1200 dpi
Scanner advanced features	Copy preview
Recommended monthly scan volume	750 to 4000
Scannable area Bit depth/ Grey scale levels	Maximum media size (flatbed): 216 x 297 mm ;Minimum media size (ADF): 102 x 152 mm Maximum media size (ADF): 216 x 356 mm 24-bit / 256
Fax	
Fax	Yes, 33.6 kbps
Fax specifications	Fax memory: Up to 400 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 200 numbers
Fax smart software features	Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Junk barrier; Distinctive ring detection; Cover page; Block fax; Billing codes; Save and load; Fax activity reports; Dial prefix setting; Print fax log; HP Digital Fax
Processor speed	1200 MHz
Connectivity	
Standard	1 Hi-Speed USB 2.0; 1 rear host USB; 1 Front USB port; Gigabit Ethernet LAN 10/100/1000BASE-T network; 802.3az(EEE); 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio + BLE
Mobile printing capability	HP Smart App; Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; Optional ROAM Queue Printing; HP ROAM For Business TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Apple AirPrint™, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services
Supported network protocols	Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download
Network capabilities Hard disk	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X No
ndi u uisk	
Memory	Standard: 512 MB ;Maximum: 512 MB
Memory Media handling	Standard: 512 MB ;Maximum: 512 MB Standard: 2 ;Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;
Memory Media handling Number of paper trays	Standard: 512 MB ;Maximum: 512 MB Standard: 2 ;Maximum: 3
Memory Media handling Number of paper trays Media types	Standard: 512 MB ;Maximum: 512 MB Standard: 2 ;Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm);
Memory Media handling Number of paper trays Media types Media size	Standard: 512 MB ;Maximum: 512 MB Standard: 2 ;Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (194 x 260 mm); 16K (194 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; 5 x tatement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (194 x 260 mm); 16K (194 x 260 mm); 16K (195 x 2770 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; 4 x 6 in; 5 x 8 in; 5 x
Memory Media handling Number of paper trays Media types Media size Media handling Media weight	Standard: 512 MB ;Maximum: 512 MB Standard: 2 ;Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 × 127 to 215.9 × 355.6 mm; Tray 2, 3: 104.9 × 148.9 to 215.9 × 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 × 340 mm); 16K (195 × 270 mm); 16K (195 × 270 mm); 16K (195 × 270 mm); 16K (197 × 273 mm); Lapanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; Custom Size; 4 × 6 in; 5 × 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 × 340 mm); 16K (195 × 270 mm); 16K (197 × 273 mm); Custom Size; 4 × 6 in; B6 (JIS) ADF: Letter; Legal; A4; custom sizes 102 × 152 to 216 × 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF: Standard, 50 sheets Tray 1: Sheets: 100; Envelopes: 10 Tray 2; Sheets: 250 Tray 3; Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity	Standard: 512 MB ;Maximum: 512 MB Standard: 2 ;Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (UIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope Monarch; Envelope B5; Envelope D1; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (UIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; 4 x 6 in; B6 (UIS) ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF: Standard, 50 sheets Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity	Standard: 512 MB ;Maximum: 512 MB Standard: 2 ;Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (UIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope Monarch; Envelope B5; Envelope C5; Envelope D1; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (UIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Custom Size; 4 x 6 in; 5 X 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (UIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Custom Size; 4 x 6 in; 5 B (UIS) ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF: Standard, 50 sheets Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: 10 to envelopes Maximum: Up to 150 sheets
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems	Standard: 512 MB ;Maximum: 512 MB Standard: 2 ;Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (184 x 260 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope DL; Custom Size; 4 x 6 in; 5 X8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Lostom Size; 4 x 6 in; 5 X8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Lostom Size; 4 x 6 in; 5 X8 in; 5 Katement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Lostom Size; 4 x 6 in; B6 (JIS) ADF: Letter; Legal; A4; Custom Sizes 102 x 152 to 216 x 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF; Standard, 50 sheets Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	Standard: 512 MB ;Maximum: 512 MB Standard: 2 ;Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm; Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Lostom Size; A x 6 in; B (JIS) ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional fibrid 550-sheet tray ADF: Standard, 50 sheets Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey Windows 8; Windows Server; Linux; Citrix; Novell
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Standard: 512 MB ;Maximum: 512 MB Standard: 2 ;Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 × 127 to 215.9 × 355.6 mm; Tray 2, 3: 104.9 × 148.95 to 215.9 × 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 × 340 mm); 16K (195 × 270 mm); 16K (195 × 270 mm); 16K (197 × 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope DL; Custom Size; 4 × 6 in; 5 × 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 × 340 mm); 16K (197 × 273 mm); Custom Size; 4 × 6 in; B6 (JIS) ADF: Letter; Legal; A4; custom sizes 102 × 152 to 216 × 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF: Standard, 50 sheets Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 57; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey Windows 8; Windows Server; Linux; Citrix; Novell Windows 2: GB available hard dive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard dive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; </td
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	Standard: 512 MB ;Maximum: 512 MB Standard: 2 ;Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.95 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Logone B5; Envelope C5; Envelope D1; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 4 x 6 in; 5 B (JIS) ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray 0; aptional 550-sheet tray 3: 60 to 120 g/m² Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; 105; Mobile 05; mac0S 10.15 Catalina; mac0S 11 Big Sur; mac0S 12 Monterey Windows 8; Windows Server; Linux; Citrix; Novell Windows 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard dr
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Standard: 512 MB ;Maximum: 512 MB Standard: 2 ;Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 × 127 to 215.9 × 355.6 mm; Tray 2, 3: 104.9 × 148.95 to 215.9 × 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 × 340 mm); 16K (195 × 270 mm); 16K (195 × 270 mm); 16K (197 × 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope DL; Custom Size; 4 × 6 in; 5 × 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 × 340 mm); 16K (197 × 273 mm); Custom Size; 4 × 6 in; B6 (JIS) ADF: Letter; Legal; A4; custom sizes 102 × 152 to 216 × 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF: Standard, 50 sheets Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 57; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey Windows 8; Windows Server; Linux; Citrix; Novell Windows 2: GB available hard dive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard dive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; </td
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight	Standard: 512 MB; Maximum: 512 MB Standard: 2 ; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope D1; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Lostom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Lostom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Lostom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Lostom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Lostom Size; 4 x 6 in; B6 (JIS) ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF: Standard, 50 sheets Tray 1: 60 to 200 g/m² ; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150
Memory Media handling Number of paper trays Media types Media size Media handling Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W × D × H)	Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope BS; Envelope LS; Envelope CS; Envelope LS; USISO Size; A5 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 273 mm); LGUSTO Size; A5 x 6 in; 5 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 273 mm); LGUSTO Size; A5 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 273 mm); LGUSTO Size; A5 x 6 in; 5 x 6 in; 5 x 0 is Dol: DADF: Letter, Legal; A4; custom sizes 102 x 152 to 215 x 0 x 152 to 216 x 356 mm Standard input: 100-sheet tray ADF: Standard, 50 sheets Tray 1: 6 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: 5 heets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Windows 10; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey Windows 8; Windows Server; Linux; Citrix; Novell Windows 8; Windows Server; Linux; Citrix; Novell
Memory Media handling Number of paper trays Media types Media size Media handling Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight	Standard: 512 MB ;Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 × 127 to 215.9 × 355.6 mm; Tray 2, 3: 104.9 × 148.59 to 215.9 × 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 × 340 mm); 16K (195 × 270 mm); 16K (184 × 260 mm); 16K (197 × 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope D1; Custom Size; A5: R4 × K6 in; B6 (US) ADF: Letter; Legal; A4; custom sizes 102 × 152 to 216 × 340 mm); 16K (195 × 270 mm); Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF: Standard, 50 sheets Tray 1: 6 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: 6 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: 6 to 100 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 10; Windows 7; Windows Client OS; Android; IOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey Windows 2: GB available hard dirks space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see anple.com; Mac 2 GB available hard dirk space; Internet connection or USB port; Internet Drowser. For additional OS hardware requirements see apple.com; Mac 2 GB available hard dirk space; Internet connection or USB port; Internet Drowser. For additional OS hardware requirements see apple.com; Mac 2 GB available hard dirks space; Internet Conne
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment	Standard: 512 MB ;Maximum: 512 MB Standard: 2 ;Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope C1; Custom Size; 4 x 6 in; 5 R in; Statement: Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Custom Size; A5-R; 4 x 6 in; B6 (JIS) ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF; Standard, 50 sheets Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: 5heets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey Windows 8; Windows 10; Windows 7; Word Maximum: Up to 150 sheets Windows 8; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions	Standard: 512 MB ;Maximum: 512 MB Standard: 2 ;Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 × 127 to 215.9 × 355.6 mm; Tray 2, 3: 104.9 × 148.59 to 215.9 × 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 × 340 mm); 16K (195 × 270 mm); 16K (194 × 260 mm); 16K (197 × 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope C1; Custom Size; A5 = K; 4 × 6 in; 5 R4 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 × 340 mm); 16K (195 × 270 mm); Standard Input: 100-sheet tray 1, 250-sheet input tray 2; S0-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional Standard Input: 100-sheet tray 1, 250-sheet tray 3: 60 to 120 g/m² Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet xord 3: 60 to 120 g/m² Tray 1: 5hets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows Server; Linux; Citrix; Novell Windows 2: GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard dirk space; Internet connection or USB port; Internet browser. For additional OS hardware
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment	Standard: 512 MB; Maximum: 512 MB Standard: 2: Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (198 x 270 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope B10; Envelope EV: Custom Size; A5 - R; 4 × 6 in; 75 & Gity, Statement; Tray 2 & Kray 3: A4; S, A6; B5 (JIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Custom Size; A5 - R; 4 × 6 in; 86 (JIS) ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 50 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; i05; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey Windows 8; Rivindows Server; Linux; Clirix; Novell Windows 8; Ga available hard disk space; Internet connection or USB port; Inter
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions	Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Japanese Postcard: Double Japan Postcard Rotate: Envelope B10; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Lustom Size; A5-R; 4 x 6 in; 56 (JIS) ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 345 mm; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (197 x 273 mm); Custom Size; A5-R; 4 x 6 in; 56 (JIS) ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 345 mm; Standard 100 x 1, 273 mm); Custom Size; A5-R; 4 x 6 in; 26 (JIS) ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 345 mm; Standard, 50 sheets Tray 1: 50-sheet tray ADF; Standard, 50 sheets Standard Input: 100-sheet tray 1, 250-sheet input tray 3: 60 to 120 g/m ² Tray 1: 50-to 200 g/m ² ; tray 2, optional 550-sheet tray 3: 60 to 120 g/m ² Tray 1: Nindows 10 to 100 envelopes Maximum; Up to 150 sheets Windows 11; Windows 10; Windows Client OS; Android; IGS; Mobile OS; macoS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Montrey Windows 2: GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2G Bavailable hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2G Bavailable hard disk space; Internet
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics	Standard: 512 MB; Maximum: 512 MB Standard: 2: Maximum: 3 Paper (plain, EroEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (UIS); Oficio (216 x 340 mm); 16K (194 x 227 mm); lapances Postard; Double Japan Postcard; Postard: Envelope TC, Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; S3; A6; B5 (UIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Lastom Size; 4 x 5 in; 5 x 81m; Statement; Tray 2 & Tray 3: A4; S3; A6; B5 (UIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (195 x 270 mm); USCM Size; A5-R; 4 x 6 in; B6 (UIS) ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard Input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 350-sheet tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: Sheets: 100; Envelopes: 10 Tray 2; Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF; Standard, 50 sheets Windows 11; Windows 7; Windows 7; Windows 7; Windows (Lient OS; Android; IOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Montreey Windows 2 Ga available hard drike space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Maz 2 GB available hard drike space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; Max 2 GB available hard drike space; Internet connection or USB port; Internet browser. Fo
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics	Standard: 512 MB ;Maximum: 512 MB Standard: 2: Maximum: 3 Paper (plain, EccEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;: Custom (metric): Tray 1: 76.2 × 127 to 215.9 x 355.6 mm; Tray 2, 3: 104, 9 x 148.59 to 215.9 x 355.6 mm; Tok (195 × 270 mm); 16k (195 × 270 mm); 16k (197 × 273 mm); Japanese Postcard; Double Japan Postcard Rolated; Envelope HD, Envelope Monarch; Envelope BS, Envelope CS, Envelope C
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications	Standard: 512 MB; Maximum: 512 MB Standard: 2: Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes: Labels: Custom (metric): Tray: 1:7:6, 1217 to 215.9; 355.6 mm; Tray, 2.3: 104.9; X148.59 to 215.9; X355.6 mm; Supported (metric): Tray: 1: A4; A5; A6; B5 (IIS): Oficio (216 x 340 mm); 16K (1197 x 273 mm); 16K (1197 x 273 mm); Liskingea, 24, 173; x4; A5; A6; B5 (IIS): Oficio (216 x 340 mm); 16K (1195 x 270 mm); 16K (1197 x 273 mm); Liskingea, 24, 173; x4; A5; A6; B5 (IIS): Oficio (216 x 340 mm); 16K (1195 x 270 mm); 16K (1195 x 273 mm); Liskingea, 24, 173; x4; A5; A6; B5 (IIS): Oficio (216 x 340 mm); 16K (1195 x 273 mm); Liskingea, 250-sheet and Ling X BDF. Letter; Legal; A4; custom sizes: 102 x 1152 to 216 x 356 mm; 164 SU 200 g/m² Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet tray 1ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 3: Windows 5: Windows Client 05; Android; 05; Mobile 05; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey Windows 4: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 7: Windows 10; Windows Client 05; Android; 05; Mobile 05; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey Windows 8: Windows 8; Windows Client 05; Android; 05; Mobile 05; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey Windows 8; Windows 9; Windows Client 05; Android; 05; Mobile 05; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey Windo
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	Standard: 512 MB ;Maximum: 512 MB Standard: 2: Maximum: 3 Paper (plain, EccEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;: Custom (metric): Tray 1: 76.2 × 127 to 215.9 x 355.6 mm; Tray 2, 3: 104, 9 x 148.59 to 215.9 x 355.6 mm; Tok (195 × 270 mm); 16k (195 × 270 mm); 16k (197 × 273 mm); Japanese Postcard; Double Japan Postcard Rolated; Envelope HD, Envelope Monarch; Envelope BS, Envelope CS, Envelope C
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications	Standard: \$12 MB; Maximum: 312 MB Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray: 17:62 x12 to 215 9x 335.6 mm; Tray 2, 3: 104.9 x148.59 to 215.9 x 355.6 mm; Supported (metric): Tray: 1: A4:A5; A5; B5 (US); Oficio 216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postard; Double Japan Postard Rotated; Envelope H10; Envelope DE; Custom Size: A5-R; 4 x 6in; 86 (US); DB(ELEter; Legal; A4; Custom Jazes 102 x 152 to 216 x 340 mm; 16K (195 x 273 mm); 16K (195 x 273 mm); Custom Size: A5-R; 4 x 6in; 86 (US); DDF: Letter; Legal; A4; Custom Jazes 102 x 152 to 216 x 340 mm; 15K (195 x 270 mm); 16K (195 x 273 mm); Custom Size; A5-R; 4 x 6in; 86 (US); ADF: Letter; Legal; A4; Custom Jazes 102 x 152 to 216 x 340 mm; 15K (195 x 270 mm); 16K (195 x 273 mm); Custom Size; A5-R; 4 x 6in; 86 (US); ADF: Letter; Legal; A4; Custom Jazes 102 x 152 to 216 x 340 mm; 15K (195 x 270 mm); 16K (195 x 270 mm); Custom Size; A5-R; 4 x 6in; 86 (US); ADF: Letter; Legal; A4; Custom Jazes 102 x 152 to 216 x 340 mm; 15K (195 x 270 mm); 16K (196 x 200 mm); 16K (196 x 200 mm); 16K (197 x 23); Sheets 250 Tray 3: Sheets 550 (optional) Maximum; Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 Janet 300 UM: 100 x 52. Windows S (UE to 10 envelopes; Maximum; Up to 150 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum; Up to 150 sheets Sweets 100; Envelopes; Up to 10 envelopes Maximum; Up to 150 sheets Windows S11; Windows 510; Windows G Ueint 05; Android; 105; Mobile 05; mac05 10.15 Catalina; mac05 11 Big Sur; mac05 12 Monterey Windows 82; Windows S2; Windows C Ueint Connecometor or USB port; Internet Drowser, For additional OS hardware
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications Country of origin	Standard: 512 MB; Maximum: 31 Paper (plain, EccEFFCIENT, light, heav, bond, colored, letterhead, preprinted, prepunched, recycled, rough): envelopes; labels: Custom (metric): Tray: 17.62, x12 to 21.59, x35.66 mm; Tray 2, 3: 104.9, x148.9 to 21.59, x355.6 mm; Supported (metric): Tray: 1: 44.45, 45; 165 (UIS): Oficio (21.6 x 340 mm; 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Lapanese Postcard; Double lepan Postcard Rotated; Envelope B (1: Custom Size: 45-R: 4 x 60; R5 (UIS): ADF: Letter: Legal: A45, cost 55 (UIS): 2016 (12 K x340 mm; 15K (195 x 273 mm); Lisk (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Lisk (195 x 270 m



Footnotes

¹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

² Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only. After 3 months, a monthly fee applies to continue advanced features with HP Smart Pro. For more information, see http://www.hpsmart.com.

³ Easy setup and manage - Requires use of Smart Admin Dashboard for printer setup and onboarding of users.

⁴ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

⁵ Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 nonoverlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps). Internet access required and must be purchased separately.

⁶ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager. ⁷ Recycling: Through the HP Planet Partners program (where available), recycled plastics are used as raw material and combined with other materials to help make new Original HP cartridges and other everyday products. For

details, see http://www.hp.com/recycle. ⁸ Save up to 50% on toner (mono) – Based on monthly subscription cost of HP Instant Ink monochrome toner service 1,500 page plan without purchase of additional sets of pages compared to cost per page to print ISO/IEC 24711 pages on most in-class, traditional A4 monochrome toner cartridge printers <€494 and MFPs priced <€672 using original standard-capacity integrated cartridges (toner and drum in one cartridge). Average CPP per country used to determine percent savings claim versus CPP for HP Instant Ink. Sale prices not considered for this study. Printers which only use XL cartridges excluded due to non-standard hardware & supplies model. Keypoint Intelligence September 2021 study commissioned by HP, based on publicly available information as of August 18, 2021. Printers selected by market share in IDC Quarterly Hardcopy Peripherals Tracker – Final Historical 2021Q2. For details: www.keypointintelligence.com/HPInstantInk.

⁹ Automatic delivery and consolidated bill: Printers require direct connection to the Internet for program participation. Internet access sold separately.

¹⁰ Never run out: Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area.

¹¹ Change or cancel: Change or cancel your plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to hoinstantink.com/terms.

Technical specifications disclaimers

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

³ Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity.

⁴ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

⁵ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.

⁷ For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ab-en April 2022

